



MEDICAL TEMPERATURE PROBES

Medical Temperature Probes

- Reusable Skin (Surface) Temperature Probes (Adult / Pediatric) for Patient Monitoring
Ø 2.4 mm polyurethane cable, Ø10 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C

		MEAS/YSI 400	
		REF: FMT400/AS	(3.0 m)
		REF: FMT400/AS-15	(1.5 m)
		OEM P/N: 409B (MEAS/YSI, 3.0 m)	
		REF: FMT400/AS/Z	(3.0 m)
		REF: FMT400/AS/Z-15	(1.5 m)
		HP - PHILIPS	
		REF: FMT400/AS/HP	(3.0 m)
		REF: FMT400/AS/HP-15	(1.5 m)
		OEM P/N: 21078A (Philips, 3.0 m)	
		SIEMENS - DRAGER	
		REF: FMT400/AS/S	(3.0 m)
		REF: FMT400/AS/S-15	(1.5 m)
		OEM P/N: 5204669 (Dräger, 3.0 m)	
		OEM P/N: 4329822 (Dräger, 1.5 m)	
		S&W	
		REF: FMT400/AS/SW	(3.0 m)
		REF: FMT400/AS/SW-15	(1.5 m)
		GE	
		REF: FMT400/AS/GE	(3.0 m)
		REF: FMT400/AS/GE-15	(1.5 m)
		MINDRAY	
		REF: FMT400/AS/MND	(3.0 m)
		REF: FMT400/AS/MND-15	(1.5 m)
		OEM P/N: 0011-10-37393 (Mindray, 3.0 m)	
		BIOLIGHT	
		REF: FMT400/AS/BLT	(3.0 m)
		REF: FMT400/AS/BLT-15	(1.5 m)
		EDAN	
		REF: FMT400/AS/EDN	(3.0 m)
		REF: FMT400/AS/EDN-15	(1.5 m)
		REF: FMT400/AS/EDN/Z	(3.0 m)
		REF: FMT400/AS/EDN/Z-15	(1.5 m)
		OEM P/N: M15-40007	
		INSPIRATION HEALTHCARE	
		REF: FMT400/AS/THT	(3.0 m)
		BELMONT MEDICAL	
		REF: FMT400/AS/MMM	(3.0 m)


Medical Temperature Probes

- Reusable Skin (Surface) Temperature Probes (Pediatric) for Patient Monitoring
Ø 2.4 mm polyurethane cable, Ø6 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C

		MEAS/YSI 400	
		REF: FMT400/AS-S	(3.0 m)
		REF: FMT400/AS-15-S	(1.5 m)
		REF: FMT400/AS/Z-S	(3.0 m)
		REF: FMT400/AS/Z-15-S	(1.5 m)
		HP - PHILIPS	
		REF: FMT400/AS/HP-S	(3.0 m)
		REF: FMT400/AS/HP-15-S	(1.5 m)
		SIEMENS - DRAGER	
		REF: FMT400/AS/S-S	(3.0 m)
		REF: FMT400/AS/S-15-S	(1.5 m)
		S&W	
		REF: FMT400/AS/SW-S	(3.0 m)
		REF: FMT400/AS/SW-15-S	(1.5 m)
		GE	
		REF: FMT400/AS/GE-S	(3.0 m)
		REF: FMT400/AS/GE-15-S	(1.5 m)
		MINDRAY	
		REF: FMT400/AS/MND-S	(3.0 m)
		REF: FMT400/AS/MND-15-S	(1.5 m)
		BIOLIGHT	
		REF: FMT400/AS/BLT-S	(3.0 m)
		REF: FMT400/AS/BLT-15-S	(1.5 m)
		EDAN	
		REF: FMT400/AS/EDN-S	(3.0 m)
		REF: FMT400/AS/EDN-15-S	(1.5 m)
		REF: FMT400/AS/EDN/Z-S	(3.0 m)
		REF: FMT400/AS/EDN/Z-15-S	(1.5 m)
		INSPIRATION HEALTHCARE	
		REF: FMT400/AS/THT-S	(3.0 m)
		BELMONT MEDICAL	
		REF: FMT400/AS/MMM-S	(3.0 m)


Medical Temperature Probes

- Reusable Esophageal/Rectal (Central) Temperature Probes (Adult) for Patient Monitoring
Ø 4 mm TPR cable, ± 0.1 accuracy between 25°C - 45°C

		MEAS/YSI 400	
		REF: FMT400/AOR	(3.0 m)
		REF: FMT400/AOR-15	(1.5 m)
		OEM P/N: 401 (MEAS/YSI, 3.0 m)	
		REF: FMT400/AOR/Z	(3.0 m)
		REF: FMT400/AOR/Z-15	(1.5 m)
		HP - PHILIPS	
		REF: FMT400/AOR/HP	(3.0 m)
		REF: FMT400/AOR/HP-15	(1.5 m)
		OEM P/N: 21075A (Philips, 3.0 m)	
		SIEMENS - DRAGER	
		REF: FMT400/AOR/S	(3.0 m)
		REF: FMT400/AOR/S-15	(1.5 m)
		OEM P/N: 5204644 (Dräger, 3.0 m)	
		OEM P/N: 4329889 (Dräger, 1.5 m)	
		S&W	
		REF: FMT400/AOR/SW	(3.0 m)
		REF: FMT400/AOR/SW-15	(1.5 m)
		GE	
		REF: FMT400/AOR/GE	(3.0 m)
		REF: FMT400/AOR/GE-15	(1.5 m)
		MINDRAY	
		REF: FMT400/AOR/MND	(3.0 m)
		REF: FMT400/AOR/MND-15	(1.5 m)
		OEM P/N: 0011-10-37392 (Mindray, 3.0 m)	
		BIOLIGHT	
		REF: FMT400/AOR/BLT	(3.0 m)
		REF: FMT400/AOR/BLT-15	(1.5 m)
		EDAN	
		REF: FMT400/AOR/EDN	(3.0 m)
		REF: FMT400/AOR/EDN-15	(1.5 m)
		REF: FMT400/AOR/EDN/Z	(3.0 m)
		REF: FMT400/AOR/EDN/Z-15	(1.5 m)
		OEM P/N: M50-18927	
		INSPIRATION HEALTHCARE	
		REF: FMT400/AOR/THT	(3.0 m)
		BELMONT MEDICAL	
		REF: FMT400/AOR/MMM	(3.0 m)

Medical Temperature Probes

- Reusable Esophageal/Rectal (Central) Temperature Probes (Pediatric) for Patient Monitoring
Ø 3.3 mm TPR cable, ±0.1 accuracy between 25°C - 45°C

		MEAS/YSI 400	
		REF: FMT400/POR	(3.0 m)
		REF: FMT400/POR-15	(1.5 m)
		OEM P/N: 402 (MEAS/YSI, 3.0 m)	
		REF: FMT400/POR/Z	(3.0 m)
		REF: FMT400/POR/Z-15	(1.5 m)
		HP - PHILIPS	
		REF: FMT400/POR/HP	(3.0 m)
		REF: FMT400/POR/HP-15	(1.5 m)
		OEM P/N: 21076A (Philips, 3.0 m)	
		SIEMENS - DRAGER	
		REF: FMT400/POR/S	(3.0 m)
		REF: FMT400/POR/S-15	(1.5 m)
		OEM P/N: 5204651 (Dräger, 3.0 m)	
		OEM P/N: 4329848 (Dräger, 1.5 m)	
		S&W	
		REF: FMT400/POR/SW	(3.0 m)
		REF: FMT400/POR/SW-15	(1.5 m)
		GE	
		REF: FMT400/POR/GE	(3.0 m)
		REF: FMT400/POR/GE-15	(1.5 m)
		MINDRAY	
		REF: FMT400/POR/MND	(3.0 m)
		REF: FMT400/POR/MND-15	(1.5 m)
		BIOLIGHT	
		REF: FMT400/POR/BLT	(3.0 m)
		REF: FMT400/POR/BLT-15	(1.5 m)
		EDAN	
		REF: FMT400/POR/EDN	(3.0 m)
		REF: FMT400/POR/EDN-15	(1.5 m)
		REF: FMT400/POR/EDN/Z	(3.0 m)
		REF: FMT400/POR/EDN/Z-15	(1.5 m)
		INSPIRATION HEALTHCARE	
		REF: FMT400/POR/THT	(3.0 m)
		BELMONT MEDICAL	
		REF: FMT400/POR/MMM	(3.0 m)

Medical Temperature Probes

- Reusable Esophageal/Rectal (Central) Temperature Probes (Infant/Pediatric) for Patient Monitoring
Ø 2.4 mm TPU cable, ± 0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

REF: FMT400/IOR (3.0 m)
REF: FMT400/IOR-15 (1.5 m)



REF: FMT400/IOR/Z (3.0 m)
REF: FMT400/IOR/Z-15 (1.5 m)



HP - PHILIPS

REF: FMT400/IOR/HP (3.0 m)
REF: FMT400/IOR/HP-15 (1.5 m)



SIEMENS - DRAGER

REF: FMT400/IOR/S (3.0 m)
REF: FMT400/IOR/S-15 (1.5 m)



S&W

REF: FMT400/IOR/SW (3.0 m)
REF: FMT400/IOR/SW-15 (1.5 m)



GE

REF: FMT400/IOR/GE (3.0 m)
REF: FMT400/IOR/GE-15 (1.5 m)



MINDRAY

REF: FMT400/IOR/MND (3.0 m)
REF: FMT400/IOR/MND-15 (1.5 m)



BIOLIGHT

REF: FMT400/IOR/BLT (3.0 m)
REF: FMT400/IOR/BLT-15 (1.5 m)



INSPIRATION HEALTHCARE

REF: FMT400/IOR/THT (3.0 m)



BELMONT MEDICAL

REF: FMT400/IOR/MMM (3.0 m)

Medical Temperature Probes

Reusable Autoclavable Esophageal/Rectal (Central) Temperature Probes (Adult) for Patient Monitoring

Ø 4.0 mm TPR cable, ±0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

- REF: FMT400/AOR-A (3.0 m)
- REF: FMT400/AOR-A15 (1.5 m)
- OEM P/N: 401AC (MEAS/YSI, 3.0 m)

- REF: FMT400/AOR/Z-A (3.0 m)
- REF: FMT400/AOR/Z-A15 (1.5 m)

- REF: FMT400/AOR/GH-A (3.0 m)

HP-PHILIPS

- REF: FMT400/AOR/HP-A (3.0 m)
- REF: FMT400/AOR/HP-A15 (1.5 m)

SIEMENS - DRÄGER

- REF: FMT400/AOR/S-A (3.0 m)
- REF: FMT400/AOR/S-A15 (1.5 m)

MINDRAY

- REF: FMT400/ AOR /MND-A (3.0 m)
- REF: FMT400/ AOR /MND-A15 (1.5 m)

EDAN

- REF: FMT400/AOR/EDN-A (3.0 m)
- REF: FMT400/AOR/EDN-A15 (1.5 m)

- REF: FMT400/AOR/EDN/Z-A (3.0 m)
- REF: FMT400/AOR/EDN/Z-A15 (1.5 m)



Reusable Autoclavable Esophageal/Rectal (Central) Temperature Probes (Pediatric) for Patient Monitoring

Ø 3.3 mm TPR cable, ±0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

- REF: FMT400/POR-A (3.0 m)
- REF: FMT400/POR-A15 (1.5 m)
- OEM P/N: 402AC (MEAS/YSI, 3.0 m)

- REF: FMT400/POR/Z-A (3.0 m)
- REF: FMT400/POR/Z-A15 (1.5 m)

- REF: FMT400/POR/GH-A (3.0 m)

HP-PHILIPS

- REF: FMT400/POR/HP-A (3.0 m)
- REF: FMT400/POR/HP-A15 (1.5 m)

SIEMENS - DRÄGER

- REF: FMT400/POR/S-A (3.0 m)
- REF: FMT400/POR/S-A15 (1.5 m)

MINDRAY

- REF: FMT400/ POR /MND-A (3.0 m)
- REF: FMT400/ POR /MND-A15 (1.5 m)

EDAN

- REF: FMT400/POR/EDN-A (3.0 m)
- REF: FMT400/POR/EDN-A15 (1.5 m)

- REF: FMT400/POR/EDN/Z-A (3.0 m)
- REF: FMT400/POR/EDN/Z-A15 (1.5 m)



Medical Temperature Probes

Reusable Autoclavable Skin (Surface) Temperature Probes (Adult) for Patient Monitoring

Ø 3.3 mm TPR cable, Ø 10 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

- REF: FMT400/AS-A (3.0 m)
- REF: FMT400/AS-A15 (1.5 m)
- OEM P/N: 409AC (MEAS/YSI, 3.0 m)

- REF: FMT400/AS/Z-A (3.0 m)
- REF: FMT400/AS/Z-A15 (1.5 m)

HP-PHILIPS

- REF: FMT400/AS/HP-A (3.0 m)
- REF: FMT400/AS/HP-A15 (1.5 m)

SIEMENS - DRÄGER

- REF: FMT400/AS/S-A (3.0 m)
- REF: FMT400/AS/S-A15 (1.5 m)

MINDRAY

- REF: FMT400/AS/MND-A (3.0 m)
- REF: FMT400/AS/MND-A15 (1.5 m)

EDAN

- REF: FMT400/AS/EDN-A (3.0 m)
- REF: FMT400/AS/EDN-A15 (1.5 m)

- REF: FMT400/ AS /EDN/Z-A (3.0 m)
- REF: FMT400/ AS /EDN/Z-A15 (1.5 m)


Ø 4.0 mm TPR cable, Ø 13 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C




- REF: FMT400/ AS /GH-A (3.0 m)

Reusable Tubular Temperature Probes for Rectal Temperature or Laboratory measurements

Ø 3.6 mm PVC cable, 3 m cable length, ±0.1 accuracy between 25°C - 45°C



- REF: FMT400/ATB (Adult)
- OEM P/N: 403 (MEAS/YSI, 3.0 m)



- REF: FMT400/PTB (Pediatric)
- OEM P/N: 406 (MEAS/YSI, 3.0 m)

- Compatible with 400 series Thermometers
- Stainless Steel Tube
- 6.35 mm Phone Plug Connector
- High sensitivity to temperature change

Medical Temperature Probes

- Adapter and Extension Cables for Reusable Temperature Probes with 6.35 mm Phone Plug
Ø 3.6 mm medical grade PVC cable, 2.4 m cable length

MEAS/YSI 400

- REF: FMT400/AEC-E

6.35 mm Phone Plug



- REF: FMT400/AEC/Z-E

6.35 mm Mono Jack



HP - PHILIPS

- REF: FMT400/AEC-EHP

Two pin HP connector



SIEMENS - DRÄGER

- REF: FMT400/AEC-ES

Multi pin SIEMENS connector



S&W

- REF: FMT400/AEC-ESW

10 pin female socket S&W connector



GE

- REF: FMT400/AEC-EGE

11 pin GE connector



MINDRAY

- REF: FMT400/AEC-EMN

2 pin MINDRAY connector



BIOLIGHT

- REF: FMT400/AEC-EBL

2 pin BIOLIGHT connector



INSPIRATION HEALTHCARE

- REF: FMT400/AEC-ETHHT

2 pin REDEL connector



Medical Temperature Probes

- Adapter and Extension Cables for Disposable Temperature Probes with 3.5 mm Mono Plug
Ø 3.6 mm medical grade PVC cable, 2.4 m cable length

MEAS/YSI 400

- REF: FMT400/AEC-P

6.35 mm Phone Plug



- REF: FMT400/AEC/Z-P

3.5 mm Mono Jack



HP - PHILIPS

- REF: FMT400/AEC-PHP

Two pin HP connector



SIEMENS - DRÄGER

- REF: FMT400/AEC-PS

Multi pin SIEMENS connector



S&W

- REF: FMT400/AEC-PSW

10 pin female socket S&W connector



GE

- REF: FMT400/AEC-PGE

11 pin GE connector



MINDRAY

- REF: FMT400/AEC-PMN

2 pin MINDRAY connector



BIOLIGHT

- REF: FMT400/AEC-PBL

2 pin BIOLIGHT connector



INSPIRATION HEALTHCARE

- REF: FMT400/AEC-PTHT

2 pin REDEL connector



Medical Temperature Probes

- Adapter and Extension Cables for Disposable Temperature Probes with Molex Type Connector
Ø 3.6 mm medical grade PVC cable, 2.4 m cable length

MEAS/YSI 400

- REF: FMT400/AEC
OEM P/N: 4940 (MEAS/YSI, 3.0 m)

6.35 mm Phone Plug



2 Pin Female Socket
for Molex
equivalent molded

- REF: FMT400/AEC/Z

HP - PHILIPS

- REF: FMT400/AEC-HP

Two pin HP connector



SIEMENS - DRÄGER

- REF: FMT400/AEC-S

Multi Pin
SIEMENS connector



S&W

- REF: FMT400/AEC-SW

10 Female Socket
S&W connector



GE

- REF: FMT400/AEC-GE

11 pin GE connector



MINDRAY

- REF: FMT400/AEC-MN

2 pin MINDRAY
connector



BIOLIGHT

- REF: FMT400/AEC-BL

2 Pin BIOLIGHT
connector



INSPIRATION HEALTHCARE

- REF: FMT400/AEC-THT

2 pin REDEL
connector



Medical Temperature Probes

- Adapter and Extension Cables for Disposable Temperature Probes with RJ Type Connector
Ø 3.6 mm medical grade PVC cable, 2.4 m cable length

MEAS/YSI 400

- REF: FMT400/AEC-R
OEM P/N: 4940RJ (MEAS/YSI, 3.0 m)

6.35 mm Phone Plug



RJ9 molded jack

- REF: FMT400/AEC/Z-R

HP - PHILIPS

- REF: FMT400/AEC-RHP

Two pin HP connector



SIEMENS - DRÄGER

- REF: FMT400/AEC-RS

Multi Pin
SIEMENS connector



S&W

- REF: FMT400/AEC-RSW

10 Female Socket
S&W connector



GE

- REF: FMT400/AEC-RGE

11 pin GE connector



MINDRAY

- REF: FMT400/AEC-RMN

2 pin MINDRAY
connector



BIOLIGHT

- REF: FMT400/AEC-RBL

2 Pin BIOLIGHT
connector



INSPIRATION HEALTHCARE

- REF: FMT400/AEC-RTHT

2 pin REDEL
connector



Medical Temperature Probes

● Adapter and Extension Cables for Reusable Temperature Probes

Ø 5.8 mm TPU cable, 45 cm cable length

GE

- REF: FMT400/AEC-EGE2



SPACELABS

- REF: FMT400/AEC-SPL



NIHON KOHDEN

- REF: FMT400/AEC-NKN



● Air Flow - Temperature Probes for F&P MR850/HC550 Humidifiers



REF: FMT -AFT/A1 (1.25 m) for use with MR850/HC550 humidifier and 0.7m (28") RT Series Breathing circuits / F&P P/N 900MR863

REF: FMT -AFT/A2 (1.65 m) for use with MR850/HC550 humidifier and 1.1m (44") RT Series Breathing circuits / F&P P/N 900MR868

REF: FMT -AFT/A3 (1.85 m) for use with MR850/HC550 humidifier and 1.3m (52") RT Series Breathing circuits / F&P P/N 900MR860


REF: FMT -AFT/A4 (2.05 m) for use with MR850/HC550 humidifier and 1.5m (60") RT Series Breathing circuits / F&P P/N 900MR869

REF: FMT -AFT/A5 (2.35 m) for use with MR850/HC550 humidifier and 1.8m (72") RT Series Breathing circuits / F&P P/N 900MR861

● Reusable Oxygenator Temperature Probes

Ø 4.0 mm TPR cable, 3 m cable length, $\pm 0.1^{\circ}\text{C}$ accuracy between 25°C - 45°C

- REF: FMT400/OXY
OEM P/N: TMPMV (Dideco)



FMT400/OXY reusable oxygenator temperature probe for use with Dideco and Eurosets oxygenators.

- REF: FMT400/OXY-2
OEM P/N: 70 00 17 (Maquet)



FMT400/OXY-2 reusable oxygenator temperature probe for use with Maquet oxygenators.

Medical Temperature Probes

Disposable Temperature Probes for Patient Monitoring

90 cm length, $\pm 0.1^\circ\text{C}$ accuracy between $25^\circ - 45^\circ\text{C}$

- REF: FMT400/AS-D**
 OEM P/N: 4499 (MEAS/YSI)
 Disposable Surface (Skin) temperature probe for Adult / Pediatric patients. $\varnothing 6.8$ mm stainless steel probe tip, medical grade PVC cable, $\varnothing 30$ mm round DEHP and Latex Free probe cover.
- REF: FMT400/AS-D2**
 OEM P/N: 21091A (Philips)
 Philips Medical Disposable Surface (Skin) temperature probe for Adult / Pediatric patients. $\varnothing 1.9$ mm probe tip, medical grade PVC cable, $\varnothing 30$ mm round DEHP and Latex Free probe cover.
- REF: FMT400/AOR-D**
 OEM P/N: 4491 (MEAS/YSI)
 Disposable Central (Rectal) temperature probe for Adult / Pediatric patients. $\varnothing 3.0$ mm (9 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D2**
 Disposable Central (Rectal) temperature probe for Pediatric patients. $\varnothing 2.3$ mm (7 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D3**
 Disposable Central (Rectal) temperature probe for Adult patients. $\varnothing 4.0$ mm (12 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D4**
 OEM P/N: 21090A (Philips)
 Philips Medical Disposable Central (Rectal) temperature probe for Adult patients. $\varnothing 4.0$ mm (12 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D5**
 OEM P/N: M1837A (Philips)
 Philips Medical Disposable Central (Rectal) temperature probe for Adult / Pediatric patients. $\varnothing 3.0$ mm (9 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D6**
 Philips Medical Disposable Central (Rectal) temperature probe for Pediatric patients. $\varnothing 2.3$ mm (7 Fr) DEHP free medical grade PVC hose.



Molex 03061023/02061131 equivalent molded connector



3.5 mm (1/8") mono jack, molded connector



Molex 03061023/02061131 equivalent molded connector



Molex 03061023/02061131 equivalent molded connector



Molex 03061023/02061131 equivalent molded connector



3.5 mm (1/8") mono jack, molded connector



3.5 mm (1/8") mono jack, molded connector



3.5 mm (1/8") mono jack, molded connector

Disposable Temperature Probes for Infant Warmer & Incubators

Medical grade PVC cable, $\pm 0.1^\circ\text{C}$ accuracy between $25^\circ - 45^\circ\text{C}$

- REF: FMT-INC/SD**
 OEM P/N: 68-209-20 (Air Shields – Hill Rom)
 OEM P/N: MU06933 (Dräger)
 Air Shields Incubator; C-100, C-100QT, C-450QT, C550QT, C550 QT – Model XL, Infant Intensive Care Systems; 78-000-50, 78-001-70, 78-280-70, 78-070-70, Infant Warmers; 78-270-70, 78-275-70, Delivery Rooms; 78-285-75, 78-285-70, Birthing Room Warmer; 78-290-70.
- REF: FMT-INC/SD2**
 OEM P/N: MX11000 & MX11001 (Dräger)
 Dräger Incubator; Caleo, 8000, 8000 IC, 8000NC, 8000SC, Transport Incubator; TI 5400, Infant Warmers; 8000 WB, 8004, 8010.
- REF: FMT-INC/SD3**
 OEM P/N: 6600-0873-700 (GE)
 Giraffe Omnibed, Panda.

FMT Disposable Temperature Probes are sold in 30 PCS per pack.



DIN 3 pin equivalent plastic connector, 155 cm cable length



2 pin rectangular elbow connector, 75 cm cable length



3 pin molded connector, 155 cm cable length

Medical Temperature Probes

- **Reusable Temperature Probes for Infant Warmer & Incubators**

Polyurethane cable, 1.5 m cable length, $\pm 0.1^{\circ}\text{C}$ accuracy between 25°C - 45°C

- **REF: FMT-INC/AA**

OEM P/N: 68 209 81 (Air Shields – Hill Rom)
OEM P/N: MU06956 (Drager)

Air Auxiliary Probe

Air Shields Incubator; C-400QT *, C-450QT *, C-500QT, C-500QT-Model XL. (* Two types of Air Auxiliary probes available for these models please check the connector type)



DIN 6 pin equivalent molded connector

- **REF: FMT-INC/A**

OEM P/N: 68 209 80 (Air Shields – Hill Rom)
OEM P/N: MU06955 (Drager)

Air Auxiliary Probe

Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT *, C-450QT *. (* Two types of Air Auxiliary probes available for these models please check the connector type)



DIN 2 pin equivalent molded connector

- **REF: FMT-MAP**

OEM P/N: 68 214 70 (Air Shields – Hill Rom)

High Temperature Alarm Probe

Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT, C-450QT.



- **REF: FMT-AFP**

OEM P/N: 68 214 86 (Air Shields – Hill Rom)

Air Flow Probe

Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT, C-450QT



- **REF: FMT-INC/S**

OEM P/N: 68 209 70 (Air Shields – Hill Rom)
OEM P/N: MU06951 (Drager)

Skin (Surface) Probe

Air Shields Incubator; C-100, C-100QT, C-450QT, C550 QT, C550 QT – Model XL, Infant Intensive Care Systems; 78-000-50, 78-001-70, 78-280-70, 78-070-70, Infant Warmers; 78-270-70, 78-275-70, Delivery Rooms; 78-285-75, 78-285-70, Birthing Room Warmer; 78-290-70



DIN 3 pin equivalent molded connector, Ø 10mm disc

- **REF: FMT-INC/SRS**

OEM P/N: 81 300 05 (Air Shields – Hill Rom)
OEM P/N: MU11225-03 (Drager)

Skin (Surface) Probe

Air Shields - Hill Rom – Drager Infant Warmer; Resuscitaire



DIN 6 pin equivalent molded connector, Ø 10mm disc

- **REF: FMT-INC/SO**

OEM P/N: 0208-0697-700 (Ohmeda / Ohio Old)
OEM P/N: 6600-0628-700

Skin (Surface) Probe

Ohmeda / Ohio Care Plus Series 1000/2000/3000/4000, General Care (GC), Infant Care (IC), Infant Warmer Systems (IWS) 2001 / 3000 / 3050 / 3100 / 3150 / 3300-Panda / 3400 / 3500 / 4000 / 4300 / 4400 / 5000. .



3.5 mm (1/8") mono jack, molded connector, Ø 10mm disc

- **REF: FMT-INC/SO2**

OEM P/N: 208-0161-300 (Ohmeda / Ohio)
OEM P/N: 208-0754-700

Skin (Surface) Probe

Ohmeda / Ohio 190, 190A and 190ASC Incubators and Infant Warmers



6.35 mm (1/4") mono jack, molded connector, Ø 10mm disc

Medical Temperature Probes

● Reusable Temperature Probes for Infant Warmer & Incubators

Polyurethane cable, 1.5 m cable length, $\pm 0.1^{\circ}\text{C}$ accuracy between 25°C - 45°C

● REF: FMT-INC/SGR

OEM P/N: 6600-0875-700 (GE / Ohmeda)

Skin (Surface) Probe

GE (Ohmeda) Giraffe Omnibed Incubators and Panda Infant Warmers (New).



3 pin molded connector, Ø 10mm disc

● REF: FMT-INC/SA

OEM P/N: 60882 (Atom Medical)

Skin (Surface) Probe

Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 6 pin molded connector, Ø 10mm disc

● REF: FMT-INC/SA-S

OEM P/N: 60883 (Atom Medical)

Skin (Surface) Probe

Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 6 pin molded connector, Ø 6mm disc

● REF: FMT-INC/ST

OEM P/N: 60881 (Atom Medical)

Skin (Surface) Probe

Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 4 pin molded connector, Ø 10mm disc

● REF: FMT-INC/ST-S

OEM P/N: 60881 (Atom Medical)

Skin (Surface) Probe

Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 4 pin molded connector, Ø 6mm disc

● REF: FMT-INC/SND

OEM P/N: 02 025 00 (Ningbo David Medical)

Skin (Surface) Probe

Ningbo David Medical YP-2000 / 970 / 930 / 920 / 910 / 90 / 90A / 90B / 90AB / 100 / 100A / 100B / 100AB, HKN-93 / 93A / 93B / 9010 / 2000 / 90 Incubators and Infant Warmers.



Mini DIN 4 pin molded connector, Ø 10mm disc

● REF: FMT-INC/SND2

OEM P/N: P02 025 00 (Ningbo David Medical)

OEM P/N: 13.07.088.00

Skin (Surface) Probe

Ningbo David Medical YP-2000 / 970 / 930 / 920 / 910 / 90 / 90A / 90B / 90AB / 100 / 100A / 100B / 100AB Incubators.



REDEL 4 pin one notch connector, Ø 10mm disc

● REF: FMT-INC/SND3

OEM P/N: 23 07 064 00 (Ningbo David Medical)

Skin (Surface) Probe

Ningbo David Medical HKN-93 / 93A / 93B / 9010 / 2000 / 90 Infant Warmers.



REDEL 6 pin one notch connector, Ø 10mm disc

Medical Temperature Probes

Reusable Temperature Probes for Infant Warmer & Incubators

Polyurethane cable, 1.5 m cable length, $\pm 0.1^{\circ}\text{C}$ accuracy between $25^{\circ} - 45^{\circ}\text{C}$

REF: FMT-INC/MDP

OEM P/N: 36 17 (Mediprema)

Skin (Surface) Probe

Mediprema Satis 3552 / 3555 Incubators.



REDEL 4 pin two notch 60° connector, Ø 10mm disc

REF: FMT-INC/SFP

OEM P/N: 900IW001 (Fisher & Paykel Healthcare)

Skin (Surface) Probe

Fisher & Paykel Healthcare IW 910 / IW 920 / IW930 CosyCot / IW931 / IW932 / IW933 / IW934 / IW950 CosyCot / IW980 / 990 Infant Warmers.



4.39 mm (0.173") stereo jack, molded connector, Ø 10mm disc

REF: FMT-INC/SIS

OEM P/N: 83 102 41 (Air Shields – Hill Rom)

OEM P/N: MU12533 (Dräger)

Skin (Surface) Probe

Air Shields Isolette C2000 Incubators and Versalet 7700 Care centers.



Mini DIN 5 pin equivalent molded connector, Ø 10mm disc

REF: FMT-INC/SAD

OEM P/N: 68 20 972 (Air Shields – Dräger)

Skin (Surface) Probe

Air Shields - Dräger 7810 Incubators.



DIN 4 pin connector, Ø 10mm disc

Disposable Incubator Probe Adaptor and Extension Cables

Polyurethane cable, 0.7 m cable length

REF: FMT-AEC/SIS

OEM P/N: MU12520x (Air Shields – Dräger)



Mini DIN 5 equivalent molded connector

4 pin connector

Disposable Reflective Temperature Probe Covers

FMT disposable foam type temperature probe covers are designed with the delicate skin of your smallest patients in mind. The specially formulated acrylic adhesive securely anchors the temperature probe to the infant's skin and is gentle and non-irritating when removed or repositioned. The reflective insulator serves as a barrier against ambient and radiant heat while allowing the most accurate sensing of the patient's true skin temperature.

FMT probe covers are completely latex and DEHP free.



Ø 26 mm (1") Diameter
Color: Silver Grey

100 pcs/pack

REF: FMT-PC26



Ø 30 mm (1.2") Diameter
Color: Silver Grey

100 pcs/pack

REF: FMT-PC30

FMT, **Metko Ltd.**'nin tescilli ticari markasıdır.



Merkez ve Fabrika

İvedik O.S.B. Ağaç İşleri Sanayi Sit.
1354. Cad. 1358.Sok. No:9
06378 Yenimahalle

ANKARA / TÜRKİYE

Tel (pbx) : +90 312 387 12 46
Fax : +90 312 387 12 51

Şube

Atatürk Mah. Sedef Cad. 38.Ada
Ata Plaza 3-5 Blokları Kat:2 No:57
34758 Ataşehir

İSTANBUL / TÜRKİYE

Tel (pbx) : +90 216 455 91 21
Fax : +90 216 455 48 24

www.metkold.com

Burada bahsedilen diğer ürünler, logolar ve şirket isimleri başka firmaların ticari markaları olabilir. Bu durum adı geçen parçaların FMT ile herhangi bir yakınlığı veya onayı olarak algılanmamalıdır. Bu dökümanda verilen bilgiler dikkatlice kontrol edilmiş ve doğruluğuna inanılmıştır. Bu katalogdaki görüntüler, sunulan ürünlerin temsili görüntüleridir. Gerçek ürün görsel farklılıklara sahip olabilir. Sürekli ürün gelişimi adına, Metko bu dökümanda ve tarif edilen üründe uyarı ve bilgilendirme yapmadan değişiklikler ve geliştirmeler yapma hakkını saklı tutar.